

The floor plan shows a building with a total width of 3326 and a total depth of 832. The plan is divided into several sections. The leftmost section is 1661 wide and 832 deep, containing a staircase and a room labeled 15.4.3. The middle section is 1661 wide and 7353 deep, containing a large open area. The rightmost section is 1661 wide and 2408 deep, containing a room labeled 113 and a room labeled 85. The plan also shows a central corridor and various smaller rooms and service areas.

Architectural floor plan of the 1st floor. The plan shows a large rectangular hall with a grid of columns and a staircase. The hall is divided into two main sections by a central corridor. The left section contains a staircase and a small room. The right section contains a large open area. The plan includes dimensions for the overall building (1172 x 2407) and the hall (5003 x 2407). It also shows various room numbers and elevations.

Overall dimensions: 1172 (width) x 2407 (depth).
 Hall dimensions: 5003 (width) x 2407 (depth).
 Room numbers: 1.01, 1.02, 1.03, 1.04, 1.05, 1.06, 1.07, 1.08, 1.09, 1.10, 1.11, 1.12, 1.13, 1.14, 1.15, 1.16, 1.17, 1.18, 1.19, 1.20, 1.21, 1.22, 1.23, 1.24, 1.25, 1.26, 1.27, 1.28, 1.29, 1.30, 1.31, 1.32, 1.33, 1.34, 1.35, 1.36, 1.37, 1.38, 1.39, 1.40, 1.41, 1.42, 1.43, 1.44, 1.45, 1.46, 1.47, 1.48, 1.49, 1.50, 1.51, 1.52, 1.53, 1.54, 1.55, 1.56, 1.57, 1.58, 1.59, 1.60, 1.61, 1.62, 1.63, 1.64, 1.65, 1.66, 1.67, 1.68, 1.69, 1.70, 1.71, 1.72, 1.73, 1.74, 1.75, 1.76, 1.77, 1.78, 1.79, 1.80, 1.81, 1.82, 1.83, 1.84, 1.85, 1.86, 1.87, 1.88, 1.89, 1.90, 1.91, 1.92, 1.93, 1.94, 1.95, 1.96, 1.97, 1.98, 1.99, 2.00, 2.01, 2.02, 2.03, 2.04, 2.05, 2.06, 2.07, 2.08, 2.09, 2.10, 2.11, 2.12, 2.13, 2.14, 2.15, 2.16, 2.17, 2.18, 2.19, 2.20, 2.21, 2.22, 2.23, 2.24, 2.25, 2.26, 2.27, 2.28, 2.29, 2.30, 2.31, 2.32, 2.33, 2.34, 2.35, 2.36, 2.37, 2.38, 2.39, 2.40, 2.41, 2.42, 2.43, 2.44, 2.45, 2.46, 2.47, 2.48, 2.49, 2.50, 2.51, 2.52, 2.53, 2.54, 2.55, 2.56, 2.57, 2.58, 2.59, 2.60, 2.61, 2.62, 2.63, 2.64, 2.65, 2.66, 2.67, 2.68, 2.69, 2.70, 2.71, 2.72, 2.73, 2.74, 2.75, 2.76, 2.77, 2.78, 2.79, 2.80, 2.81, 2.82, 2.83, 2.84, 2.85, 2.86, 2.87, 2.88, 2.89, 2.90, 2.91, 2.92, 2.93, 2.94, 2.95, 2.96, 2.97, 2.98, 2.99, 3.00, 3.01, 3.02, 3.03, 3.04, 3.05, 3.06, 3.07, 3.08, 3.09, 3.10, 3.11, 3.12, 3.13, 3.14, 3.15, 3.16, 3.17, 3.18, 3.19, 3.20, 3.21, 3.22, 3.23, 3.24, 3.25, 3.26, 3.27, 3.28, 3.29, 3.30, 3.31, 3.32, 3.33, 3.34, 3.35, 3.36, 3.37, 3.38, 3.39, 3.40, 3.41, 3.42, 3.43, 3.44, 3.45, 3.46, 3.47, 3.48, 3.49, 3.50, 3.51, 3.52, 3.53, 3.54, 3.55, 3.56, 3.57, 3.58, 3.59, 3.60, 3.61, 3.62, 3.63, 3.64, 3.65, 3.66, 3.67, 3.68, 3.69, 3.70, 3.71, 3.72, 3.73, 3.74, 3.75, 3.76, 3.77, 3.78, 3.79, 3.80, 3.81, 3.82, 3.83, 3.84, 3.85, 3.86, 3.87, 3.88, 3.89, 3.90, 3.91, 3.92, 3.93, 3.94, 3.95, 3.96, 3.97, 3.98, 3.99, 4.00, 4.01, 4.02, 4.03, 4.04, 4.05, 4.06, 4.07, 4.08, 4.09, 4.10, 4.11, 4.12, 4.13, 4.14, 4.15, 4.16, 4.17, 4.18, 4.19, 4.20, 4.21, 4.22, 4.23, 4.24, 4.25, 4.26, 4.27, 4.28, 4.29, 4.30, 4.31, 4.32, 4.33, 4.34, 4.35, 4.36, 4.37, 4.38, 4.39, 4.40, 4.41, 4.42, 4.43, 4.44, 4.45, 4.46, 4.47, 4.48, 4.49, 4.50, 4.51, 4.52, 4.53, 4.54, 4.55, 4.56, 4.57, 4.58, 4.59, 4.60, 4.61, 4.62, 4.63, 4.64, 4.65, 4.66, 4.67, 4.68, 4.69, 4.70, 4.71, 4.72, 4.73, 4.74, 4.75, 4.76, 4.77, 4.78, 4.79, 4.80, 4.81, 4.82, 4.83, 4.84, 4.85, 4.86, 4.87, 4.88, 4.89, 4.90, 4.91, 4.92, 4.93, 4.94, 4.95, 4.96, 4.97, 4.98, 4.99, 5.00, 5.01, 5.02, 5.03, 5.04, 5.05, 5.06, 5.07, 5.08, 5.09, 5.10, 5.11, 5.12, 5.13, 5.14, 5.15, 5.16, 5.17, 5.18, 5.19, 5.20, 5.21, 5.22, 5.23, 5.24, 5.25, 5.26, 5.27, 5.28, 5.29, 5.30, 5.31, 5.32, 5.33, 5.34, 5.35, 5.36, 5.37, 5.38, 5.39, 5.40, 5.41, 5.42, 5.43, 5.44, 5.45, 5.46, 5.47, 5.48, 5.49, 5.50, 5.51, 5.52, 5.53, 5.54, 5.55, 5.56, 5.57, 5.58, 5.59, 5.60, 5.61, 5.62, 5.63, 5.64, 5.65, 5.66, 5.67, 5.68, 5.69, 5.70, 5.71, 5.72, 5.73, 5.74, 5.75, 5.76, 5.77, 5.78, 5.79, 5.80, 5.81, 5.82, 5.83, 5.84, 5.85, 5.86, 5.87, 5.88, 5.89, 5.90, 5.91, 5.92, 5.93, 5.94, 5.95, 5.96, 5.97, 5.98, 5.99, 6.00, 6.01, 6.02, 6.03, 6.04, 6.05, 6.06, 6.07, 6.08, 6.09, 6.10, 6.11, 6.12, 6.13, 6.14, 6.15, 6.16, 6.17, 6.18, 6.19, 6.20, 6.21, 6.22, 6.23, 6.24, 6.25, 6.26, 6.27, 6.28, 6.29, 6.30, 6.31, 6.32, 6.33, 6.34, 6.35, 6.36, 6.37, 6.38, 6.39, 6.40, 6.41, 6.42, 6.43, 6.44, 6.45, 6.46, 6.47, 6.48, 6.49, 6.50, 6.51, 6.52, 6.53, 6.54, 6.55, 6.56, 6.57, 6.58, 6.59, 6.60, 6.61, 6.62, 6.63, 6.64, 6.65, 6.66, 6.67, 6.68, 6.69, 6.70, 6.71, 6.72, 6.73, 6.74, 6.75, 6.76, 6.77, 6.78, 6.79, 6.80, 6.81, 6.82, 6.83, 6.84, 6.85, 6.86, 6.87, 6.88, 6.89, 6.90, 6.91, 6.92, 6.93, 6.94, 6.95, 6.96, 6.97, 6.98, 6.99, 7.00, 7.01, 7.02, 7.03, 7.04, 7.05, 7.06, 7.07, 7.08, 7.09, 7.10, 7.11, 7.12, 7.13, 7.14, 7.15, 7.16, 7.17, 7.18, 7.19, 7.20, 7.21, 7.22, 7.23, 7.24, 7.25, 7.26, 7.27, 7.28, 7.29, 7.30, 7.31, 7.32, 7.33, 7.34, 7.35, 7.36,

Architectural floor plan of the first floor of the 'Korpus 1' building. The plan shows a large rectangular building with a central corridor and several rooms. The main entrance is located on the left side, leading into a large hall. To the right of the hall is a staircase and a small office. The building is surrounded by a parking lot. Dimensions are provided for the overall building and individual rooms. The plan is oriented with North at the top.

SEZIONE A-A'

Staffe integrative/sostitutive

Ferti longitudinali integrativi/sostitutivi

Parzone di copriferro ricostituita

Altezza pilastro

PROSPETTO PILASTRO

The image contains two technical drawings of a reinforced concrete roof slab (cappotto ricostituito).

PROSPETTO TRAVE (Perspective View): This drawing shows the side profile of the slab. It is a rectangular structure with a yellow-shaded area representing the concrete. The top surface is labeled "Porzione di cappotto ricostituita". The length of the slab is indicated by a dimension line labeled "Lunghezza della trave". The drawing is divided into three sections by vertical lines, labeled 1, 2, and 3. A section line A-A is shown at the top, and a section line B-B is shown on the right side.

SEZIONE B-B' (Cross-section View): This drawing shows the cross-section of the slab. It is a rectangular structure with a yellow-shaded area representing the concrete. The top surface is labeled "Porzione di cappotto ricostituita". The drawing is divided into three sections by vertical lines, labeled 1, 2, and 3. A section line A-A is shown at the top, and a section line B-B' is shown on the right side. The drawing includes labels for "Staffe integrative/sostitutive" (integrative/replacement stirrups) and "Ferri longitudinali integrativi/sostitutivi" (integrative/replacement longitudinal bars).

SEZIONE SOLETTA (Cross-section View): This drawing shows the cross-section of the slab. It is a rectangular structure with a yellow-shaded area representing the concrete. The top surface is labeled "Porzione di cappotto ricostituita". The drawing is divided into three sections by vertical lines, labeled 1, 2, and 3. A section line A-A is shown at the top, and a section line B-B' is shown on the right side. The drawing includes a label for "Armatura integrativa/sostitutiva" (integrative/replacement reinforcement).

Armadura integrativa: Eventuale inserimento di adeguata armatura integrativa, sia longitudinale che di contenimento trasversale, opportunamente calcolata e verificata. Le armature dovranno essere ancorate al supporto esistente, opportunamente distanziate dal supporto e si dovrà garantire un copriferro adeguato in funzione della classe di esposizione.

Ricostruzione o sostituzione dei conci murari rimossi con nuovi elementi con superfici scabre e allettati con malta di pura calce idraulica naturale. Si ponga attenzione ad ammassare i nuovi elementi ai preesistenti. Si consiglia il riuso, per quanto possibile, dei conci della muratura originaria

ABACO DEI CONSOLIDAMENTI		
RETINO	TIPOLOGIA INTERVENTO	DESCRIZIONE
	Scut-out	Ripresa di muratura in pietra, mediante sostituzione del materiale eseguito gradatamente in modo da non interrompere la funzionalità statica delle murature. Il materiale reintegrato corrisponderà a quello demolito qualora ritenuto rimpiombabile o se nuovo dovrà avere caratteristiche del tutto analoghe a quello originale. I nuovi elementi saranno allineati con malta di pure calce idraulica naturale.
	Ripristino dei travi in c.a. con trattamento dei ferri di armatura	Ripristinatura mediante ripristino monolitico del coperello in sezione in c.a. (travi) danneggiate o degradate e contestuale trattamento dei ferri di armatura con malta strutturale Ixtrotopica specifica per la passivazione, il ripristino, la rasatura e la protezione monolitica di strutture in calcestruzzo. La preparazione del substrato avverrà tracciata sgrafittata del calcestruzzo carbonatato.
	Ripristino di pilastri in c.a. con trattamento dei ferri di armatura	Ripristinatura mediante ripristino monolitico del coperello in sezione in c.a. (pilastri) danneggiate o degradate e contestuale trattamento dei ferri di armatura con malta strutturale Ixtrotopica specifica per la passivazione, il ripristino, la rasatura e la protezione monolitica di strutture in calcestruzzo. La preparazione del substrato avverrà tracciata sgrafittata del calcestruzzo carbonatato.
	Ripristino di solai in c.a. con trattamento dei ferri di armatura	Ripristinatura mediante ripristino monolitico del coperello in sezione in c.a. (solai) danneggiate o degradate e contestuale trattamento dei ferri di armatura con malta strutturale Ixtrotopica specifica per la passivazione, il ripristino, la rasatura e la protezione monolitica di strutture in calcestruzzo. La preparazione del substrato avverrà tracciata sgrafittata del calcestruzzo carbonatato.
	Ricostruzione	

Architectural floor plan of a building with dimensions and level markers. The plan shows a large rectangular building with a complex internal layout. Key dimensions and markers include:

- Overall Dimensions:**
 - Top: 1172, 2653, 4981, 1156
 - Right: 2412, 7863, 5016
 - Bottom: 413, 499, 502, 501, 501, 424, 437, 1680, 861, 4987
 - Left: 2407, 2423, 1513, 395, 142, 170, 49, 165, 213, 208, 201
- Internal Layout and Markers:**
 - Top section: Two rectangular areas with level markers ± 0.00 and ± 5.20 .
 - Bottom section: A large area with a grid pattern, containing a red-outlined area with a staircase and a level marker ± 5.60 .
 - Right section: A large open area with a level marker ± 0.35 .
 - Bottom right: A small rectangular area with a staircase and a level marker ± 5.60 .
- Section Lines:**
 - Line A-A: Indicated by a dashed line and arrows on the left side.
 - Line B-B: Indicated by a dashed line and arrows at the top.